



# | Sports Hall Equipment

## Locker Bench "ALUEX" with Back Rest & Clothes Hook

### Locker Bench "ALUEX"

Sturdy construction in standard length of 2 m  
Shapely design of square anodized aluminium special profile. Shoe rack made of thick-walled aluminium tube. The Seat Laths, Backrests are manufactured from anodized aluminium special profile. Inside are laminated plastic sheets. Available in different colours.

- Double coat hooks made of plastic
- Legs feature floor protecting plastic endings for levelling
- Components are pre-assembled, for easy self-assembly.
- Size: Length 200 cm or customized length up to 270 cm, Seat Depth 33.6 cm, Seating Height 45 cm
- Overall Height (incl. coat rails): 165 cm.



**Order No. SP 130410**

*For safety reason we recommend to fix the locker bench to the wall!*

## ABS Plastic Locker



AFN ABS Plastic Lockers, External Dimension ~ H1855 x W310 x D460 mm (High Base) External Dimension ~ H1855 x W310 x D460 mm (High Base) Locks:

AFN XL-Size ABS Plastic Lockers (2-Tier), Compartment Dimension ~ H845 x W270 x D415 mm. Built Up To 2 Compartments Height Per Column Unit.

**Order No. SP 195000**

AFN L-Size ABS Plastic Lockers (3-Tier), Compartment Dimension ~ H550 x W270 x D415 mm. Built Up To 3 Compartments Height Per Column Unit.

**Order No. SP 195010**

AFN M-Size ABS Plastic Lockers (4-Tier), Compartment Dimension ~ H410 x W270 x D415 mm. Built Up To 4 Compartments Height Per Column Unit.

**Order No. SP 195020**

AFN S-Size ABS Plastic Lockers (5-Tier), Compartment Dimension ~ H320 x W270 x D415 mm. Built Up To 5 Compartments Height Per Column Unit.

**Order No. SP 195030**



\*Subject to technical alterations



### Wall Padding for Indoor ( 2 m )

The wall and column padding are made from a PE foam with a PVC canvas. Both materials used are fire retardant. The padding usually measures a height of 2.0 m. It is available in four and six cm thickness. The standard panel is 1.0 m wide. On demand, another dimension can be produced. The padding is equipped with fastening straps. They are placed at the top and bottom of the padding. The straps are fixed to the wall with aluminium flat bars. Additionally, the padding is held in position with Velcro, which is fixed on the back side of the padding. The padding is available in assorted colours. Special sizes and openings for corners and electrical or other outlets can be customized in accordance with the requirements of the jobsite.

Order No. SP	Thickness	Dimension (H x W)	Type	Fire Retardant
240000	6cm	2.00 x 1.00m	Indoor - SQM	No
240010	6cm	2.00 x 1.00m	Indoor - PCS	No
240100	6cm	ON REQUEST	Indoor - PCS	No
240101	4cm	2.00 x 1.00m	Indoor - SQM	No
240102	4cm	2.00 x 1.00m	Indoor - PCS	No
240110	6cm	2.00 x 1.00m	Indoor - SQM	Yes (Standard Indoor)
240120	6cm	2.00 x 1.00m	Indoor - PCS	Yes (Standard)
240121	4cm	2.00 x 1.00m	Indoor - SQM	Yes (Standard Indoor)
240122	4cm	2.00 x 1.00m	Indoor - PCS	Yes (Standard)

\*Subject to technical alterations



### Aluminium Hinged Wall Bar

The hinged wall bar is made from powder coated aluminium. The wall bar is equipped with easy moving, non-marking rolls. The wall bar can be locked in the 90-degree position in a ground socket. This allows a safe use in the folded position. The item comes including the wall locking device.

### Wooden Wall Bar

Timber side walls with round shaped white surface Kasah wood rungs individually screwed, easy moving on non marking rolls.

Come together with chinning bar for chin ups, climbing, hanging and swinging. Extremely rugged, stable and durable particularly for the use in public facilities.

Dimensions: 230cm x 120cm. (H x W). Wall bracket included.



### Wooden Double Bay Wall Bar

Timber side walls with round shaped Kasah wood rungs individually screwed, easy moving on non marking rolls. Good for duty use in sports halls, therapy rooms, studio and home use.

Dimensions: 260cm x 200cm (H x W). Wall bracket included.

\*Subject to technical alterations



### Soft Landing Mat

Soft Landing Mat polyether foam core covered with vinyl-coated nylon provides a smooth, crackles surface. Slip-proof, contoured bottom for maximum safety.

<b>Order No. SP 191000</b>	Soft landing mat 200 x 150 x 25cm
<b>Order No. SP 191010</b>	Soft landing mat 200 x 150 x 30cm
<b>Order No. SP 191020</b>	Soft landing mat 300 x 200x 25cm
<b>Order No. SP 191030</b>	Soft landing mat 300 x 200x 30 cm
<b>Order No. SP 191040</b>	Soft landing mat 400 x 300 x 30 cm
<b>Order No. SP 191050</b>	Soft landing mat 400 x 300 x 40 cm



\*Subject to technical alterations